Lead Free Solder Wire



RoHS

Compliant

Features

- Excellent solder joint reliability.
- Superior joint strength.
- Excellent thermal & Mechanical fatigue resistance.
- · Low cleaning required after solder joint.

Specifications

Ch	Standard				
Appearance	Bright and shiny surface finishes				
Alloy	Sn/ Cu 0.7	JIS-Z-3282			
Melting Point	227°C to 228°C	DSC			
Flux Content	3 ±1%	JIS-Z-3283			
Halide Content	Under 0.5%	JIS-Z-3197			
Gravity	7.3				
Spread Ability	>75%	JIS-Z-3197			
Diameters (Tolerances)	0.3mm to 0.6mm ±0.05mm, 0.8mm to 3mm ±0.1mm	JIS-Z-3283			
Storage, Handling and Shelf Life	Storage must be in a dry, non-corrosive and shine environment. Avoids the oxidant, the acid and the hydrogen peroxide. Shelf life is 2 years from date of manufacture.				

Physical Properties & Reliability Data

No	Test Item	Test Result	Test Method		
1	Copper Mirror Test	PASS	IPC-TM-650, 2.3.32		
2	Copper Plate Corrosion	PASS	JIS-Z-3197, 6.6.1		
3	S.I.R Test	PASS 1x10 ¹⁰ up	IPC-TM-650, 2.6.3.3		
4	Electro Migration Test	PASS 1x10 ¹⁰ up	IPC-TM-650, 2.6.14.1		





Alloy Composition

Sn	Cu	Ag	Ni	Bi	Zn	Ai	Sb	Fe	As	Cd	Pb	In	Au
Rem.	0.5~0.9	0.1 MAX	0~0.01	0.1 MAX	0.001 MAX	0.001 MAX	0.05 MAX	0.02 MAX	0.03 MAX	0.002 MAX	0.05 MAX	0.1 MAX	0.05 MAX

Part Number Table

Description	Part Number		
Solder Wire, Sn 99.3/Cu 0.7, 0.7mm Dia, 100G	D01685		
Solder Wire, Sn 99.3/Cu 0.7, 0.7mm Dia, 500G	D01686		
Solder Wire, Sn 99.3/Cu 0.7, 1.2mm Dia, 100G	D01687		
Solder Wire, Sn 99.3/Cu 0.7, 1.2mm Dia, 500G	D01688		
Solder Wire, Sn 99.3/Cu 0.7, 0.7mm Dia, 50G	D03341		
Solder Wire, Sn 99.3/Cu 0.7, 0.7mm Dia, 250G	D03342		
Solder Wire, Sn 99.3/Cu 0.7, 1.2mm Dia, 12.5G	D03343		
Solder Wire, Sn 99.3/Cu 0.7, 1.2mm Dia, 50G	D03344		
Solder Wire, Sn 99.3/Cu 0.7, 1.2mm Dia, 250G	D03345		

Important Notice : This data sheet and its contents (the "Information") belong to the members of the AVNET group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. DURATOOL is the registered trademark of Premier Farnell Limited 2019.

